

SECTION 1 Identification**1.1. GHS Product identifier**

Product form	: Substance
Name	: Melamine
Trade name	: MelaminebyOCITM GPH MelaminebyOCITM SLP Melafine® MelaminebyOCITM Novo GPH MelaminebyOCITM Novo SLP Melafine® Novo
IUPAC name	: 1,3,5-Triazine-2,4,6-triamine
Type of product	: Solid
CAS-No.	: 108-78-1
Formula	: C ₃ H ₆ N ₆

1.2. Other means of identification

Synonyms	: Cyanuramide; Cyanurotriamide; 2,4,6-Triamino-s-triazine
EC-No.	: 203-615-4

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture	: Industrial use, White crystalline powder, used in high performance products like wood-based panels, laminates, coatings, molding powders, concrete plasticizers and flame retardants
Recommended use	: Industrial use, White crystalline powder, used in high performance products like wood-based panels, laminates, coatings, molding powders, concrete plasticizers and flame retardants
Restrictions on use	: Addition to food or feed products

1.4. Supplier's details**Supplier**

OCI Nitrogen B.V.

1 Poststraat

Sittard, 6135 KR

The Netherlands

T +31 (0) 46 7020205

info.melamine@oci-global.com - www.oci-global.com**1.5. Emergency phone number**

Emergency number	: Chemtrec: +1-800-424-9300 (24/7) & Alert & Care Centre Chemelot (Geleen, The Netherlands): +31 (0) 46 4765555 (24/7)
------------------	--

SECTION 2 Hazard identification**2.1. Classification of the substance or mixture****Classification (GHS CA)**

Carcinogenicity, Category 2

Reproductive toxicity, Category 2

Specific target organ toxicity, Repeated exposure, Category 2

Suspected of causing cancer.

Suspected of damaging fertility.

May cause damage to organs (urinary tract) through prolonged or repeated exposure.

Full text of H-statements: see section 16

Melamine

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

2.2. GHS label elements, including precautionary statements

GHS CA labelling

Hazard pictograms (GHS CA) :



Signal word (GHS CA) :

Warning

Hazard statements (GHS CA) :

Suspected of causing cancer.
Suspected of damaging fertility.
May cause damage to organs (urinary tract) through prolonged or repeated exposure.

Precautionary statements (GHS CA) :

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust.
Wear protective gloves, protective clothing, eye protection, face protection.
IF exposed or concerned: Get medical advice/attention.
Store locked up.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Name : Melamine
CAS-No. : 108-78-1
EC-No. : 203-615-4

Name	Chemical name/Synonyms	Product identifier	Conc. (% w/w)	Classification (GHS CA)
1,3,5-Triazine-2,4,6-triamine	Cyanuramide; Cyanurotriamide; 2,4,6-Triamino-s-triazine	CAS-No.: 108-78-1	100	Carc. 2, H351 Repr. 2, H361 STOT RE 2, H373

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If breathing stops, give artificial respiration. Get medical attention immediately if symptoms occur.

First-aid measures after skin contact : Wash skin with plenty of water and soap. Remove all contaminated clothing and footwear.

First-aid measures after eye contact : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur.

Melamine

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

First-aid measures after ingestion	: Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: Dust from this product may cause irritation to the respiratory tract.
Symptoms/effects after eye contact	: Dust from this product may cause eye irritation.
Chronic symptoms	: May damage fertility. Suspected carcinogen. May cause damage to organs (urinary tract) through prolonged or repeated exposure.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically. Hazardous decomposition products in case of fire. Symptoms may be delayed. Consult an expert.
-----------------------------------	--

SECTION 5 Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
------------------------------	----------------------------------

5.2. Specific hazards arising from the chemical

Fire hazard	: The product is not flammable.
Hazardous decomposition products in case of fire	: Under fire conditions, hazardous fumes will be present: Carbon dioxide, Carbon monoxide, Amines, Nitrogen oxides, Ammonia, Hydrogen cyanide > 600°C / 1112°F.

5.3. Special protective actions for fire-fighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions, Protective Equipment and Emergency Procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Do not breathe dust. Do not touch or walk on the spilled product. Avoid contact with skin, eyes and clothing. Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Environmental precautions	: Avoid release to the environment. Do not allow to enter drains or water courses. Avoid sub-soil penetration. Advise local authorities if considered necessary.

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up	: Mechanically recover the product. Avoid dust formation. Keep in suitable, closed containers for disposal. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of waste product or used containers according to local regulations. Dispose of materials or solid residues at an authorized site.

Section 1, 8, 13. For further information refer to section 13.

Melamine

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Ensure good ventilation of the work station. Avoid dust formation. Do not breathe dust. In case of insufficient ventilation, wear suitable respiratory equipment.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Remove contaminated clothes. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in accordance with local, regional, national or international regulation. Store in dry, well-ventilated area. Store locked up.
- Incompatible materials : Strong oxidizing agents.
- Heat and ignition sources : Keep out of direct sunlight.
- Storage area : (1) Do not stack big bags > 1000 kg. Do not stack more than two bulk bags ≤1000 kg on top of each other in connection with the risk of ripping. (2) 'MelaminebyOCI SLP' may not be stacked.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Melamine (108-78-1)	
Canada (British Columbia) - Occupational Exposure Limits	
Local name	All provinces; Reference value: EU REACH - Derived No Effect Level (DNEL) - Worker - Long-term - systemic effects, inhalation: 8.3 mg/m ³
1,3,5-Triazine-2,4,6-triamine (108-78-1)	
Canada (British Columbia) - Occupational Exposure Limits	
Notations and remarks	IARC group 2B carcinogen
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station. Minimise exposure using measures such as closed systems, dedicated facilities and suitable general/local exhaust ventilation.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

When this substance/product is used in a mixture consult your industrial hygienist to adjust the personal protective equipment to the (hazard) properties of the mixture.

Hand protection:				
Chemically resistant protective gloves. Efficiency of at least: 80%. To increase glove efficiency additional good practice is required, e.g. provision of training or management supervision.				
Type	Material	Permeation	Thickness (mm)	Penetration
Protective gloves	Chloroprene rubber (CR), Butyl rubber, Polyvinylchloride (PVC)	6 (> 480 minutes)	0.5	

Melamine

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Protective gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.35	
Protective gloves	Fluoroelastomer (FKM)	6 (> 480 minutes)	0.4	

Eye protection:		
Wear eye protection		
Type	Use	Characteristics
Safety glasses with side shields	Dust	

Skin and body protection:		
Wear suitable protective clothing		
Type		
Long sleeved protective clothing		

Respiratory protection:		
In case of inadequate ventilation wear respiratory protection.		
Device	Filter type	Condition
Dust mask	Type FFP2	Dust protection

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Solid
Appearance	: Crystalline powder.
Colour	: White
Odour	: Odourless Ammoniacal slight
Odour threshold	: No data available
pH	: 7.8 – 9.5 (10% aqueous suspension)
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Molecular mass	: 126.12 g/mol
Melting point	: 354 °C (with vaporization)
Freezing point	: Not applicable
Boiling point	: > 280 °C Decomposes
Flash point	: > 280 °C (closed cup)
Auto-ignition temperature	: > 500 °C
Decomposition temperature	: > 280 °C
Flammability (solid, gas)	: Not flammable
Vapour pressure	: < 0.02 kPa (@ 20°C / 68°F)
Relative vapour density at 20°C	: 4.34 (air = 1)
Relative density	: 1.57 (@ 20°C / 68°F)
Density	: 1.57 g/cm ³

Melamine

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Solubility	: Slightly soluble. Water: 0.348 g/100ml (@ 20°C / 68°F)
Partition coefficient n-octanol/water (Log Pow)	: -1.22 (@ 20°C / 68°F)
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: Not applicable
Particle characteristics	: Particle size distribution : Available on request

9.2. Data relevant with regard to physical hazard classes (supplemental)

Other properties	: Ignition temperature: ≥ 658 °C / 1216.4 °F.
------------------	--

SECTION 10 Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Keep away from heat. Keep away from any flames or sparking source.
Incompatible materials	: Oxidizing agents.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition can lead to the release of irritating gases and vapours. Thermal decomposition generates: Carbon monoxide, Carbon dioxide, Nitrogen oxides, Amines, Ammonia, Hydrogen cyanide > 600°C / 1112°F.
Hardening time:	: No additional information available

SECTION 11 Toxicological information

11.1. Likely routes of exposure

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

1,3,5-Triazine-2,4,6-triamine (108-78-1)	
LD50 oral rat	3161 mg/kg bodyweight
LC50 Inhalation - Rat	> 5.19 mg/l/4h (OECD 403 method)
ATE CA (oral)	3161 mg/kg bodyweight

Skin corrosion/irritation	: Not classified. pH: 7.8 – 9.5 (10% aqueous suspension)
---------------------------	---

1,3,5-Triazine-2,4,6-triamine (108-78-1)	
pH	Aqueous solution

Serious eye damage/irritation	: Not classified pH: 7.8 – 9.5 (10% aqueous suspension)
-------------------------------	--

1,3,5-Triazine-2,4,6-triamine (108-78-1)	
pH	Aqueous solution

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.

1,3,5-Triazine-2,4,6-triamine (108-78-1)	
LOAEL, Chronic, oral, rat	126 mg/kg bw/day

Melamine

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

1,3,5-Triazine-2,4,6-triamine (108-78-1)	
IARC group	2B - Possibly carcinogenic to humans
National Toxicity Program (NTP) Status	Evidence of Carcinogenicity
Reproductive toxicity	: Suspected of damaging fertility.
1,3,5-Triazine-2,4,6-triamine (108-78-1)	
NOAEL (animal/male, F0/P)	268 mg/kg bodyweight Fertility
NOAEL (animal/male, F1)	89 mg/kg bodyweight Fertility
Target organ(s)	testis, Sperm
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs (urinary tract) through prolonged or repeated exposure.
1,3,5-Triazine-2,4,6-triamine (108-78-1)	
NOAEL (oral, rat, 90 days)	72 mg/kg bodyweight/day
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Target organ(s)	urinary bladder, kidneys
Aspiration hazard	: Not classified
Melamine (108-78-1)	
Viscosity, kinematic	Not applicable
Symptoms/effects after inhalation	: Dust from this product may cause irritation to the respiratory tract.
Symptoms/effects after eye contact	: Dust from this product may cause eye irritation.
Chronic symptoms	: May damage fertility. Suspected carcinogen. May cause damage to organs (urinary tract) through prolonged or repeated exposure.

SECTION 12 Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

1,3,5-Triazine-2,4,6-triamine (108-78-1)	
LC50 fish 1	> 3000 mg/l Oncorhynchus mykiss
EC50 Daphnia 1	200 mg/l Daphnia magna
EC50 96h - Algae [1]	325 mg/l Pseudokirchneriella subcapitata
NOEC chronic fish	≥ 5.1 mg/l Pimephales promelas (36d), OECD Guideline 210
NOEC chronic crustacea	≥ 11 mg/l (21d) Daphnia magna
NOEC chronic algae	98 mg/l Species: Pseudokirchneriella subcapitata
NOEC, microorganisms	2000 mg/l

Melamine

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

12.2. Persistence and degradability

Melamine (108-78-1)

--	--

1,3,5-Triazine-2,4,6-triamine (108-78-1)

Persistence and degradability	Not readily biodegradable, Not inherently biodegradable.
-------------------------------	--

12.3. Bioaccumulative potential

Melamine (108-78-1)

Partition coefficient n-octanol/water (Log Kow)	-1.22 (@ 20°C / 68°F)
---	-----------------------

1,3,5-Triazine-2,4,6-triamine (108-78-1)

Bioaccumulative potential	Bioaccumulation unlikely.
BCF fish 1	< 3.8 l/kg

12.4. Mobility in soil

1,3,5-Triazine-2,4,6-triamine (108-78-1)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.3
--	-----

12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No

SECTION 13 Disposal considerations

Regional waste regulation	: Dispose in a safe manner in accordance with local/national regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Recycling is preferred to disposal or incineration. Do not re-use empty containers without proper cleaning or reconditioning. Avoid release to the environment.

SECTION 14 Transport information

In accordance with Transportation of Dangerous Goods / Department of Transport / IMDG / IATA

TDG	DOT	IMDG	IATA
14.1. UN Number			
Not regulated for transport			
14.2. UN Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group, if applicable			
Not regulated	Not regulated	Not regulated	Not regulated

Melamine

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

TDG	DOT	IMDG	IATA
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

14.6. Special precautions for user

TDG

Not regulated

DOT

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78⁹ and the IBC Code¹⁰

Not applicable

SECTION 15 Regulatory information

1,3,5-Triazine-2,4,6-triamine (108-78-1)

Listed on the Canadian DSL (Domestic Substances List)

1,3,5-Triazine-2,4,6-triamine (108-78-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

Listed on INSQ (Mexican National Inventory of Chemical Substances)

SECTION 16 Other Information

Revision date : 10/10/2025

Supersedes : 20/02/2024

Indication of changes:

Trade name. Details of the supplier of the safety data sheet.

Training advice : Training staff on good practice. Ensure staff are informed of and trained on the nature of exposure and basic actions to minimise exposure.

Abbreviations and acronyms:

PBT	Persistent Bioaccumulative Toxic
vPvB	Very Persistent and Very Bioaccumulative
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

Melamine

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Abbreviations and acronyms:	
ICAO	International Civil Aviation Organization
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
DNEL	Derived-No Effect Level
PNEC	Predicted No-Effect Concentration
EC50	Median effective concentration
NOEC	No-Observed Effect Concentration
BCF	Bioconcentration factor
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
DMEL	Derived Minimal Effect level
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
IARC	International Agency for Research on Cancer
EC-No.	European Community number
EN	European Standard
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
OECD	Organisation for Economic Co-operation and Development
STP	Sewage treatment plant
CAS-No.	Chemical Abstract Service number
NOAEL	No-Observed Adverse Effect Level

Safety Data Sheet (SDS), Canada

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.